

H5350P 规格书(Line-up)

基板 CCL: H5350P

1、 Only E-Glass Type CCL: H5350P

Core Thickness		Standard Construction	RC(%)	Dk				Df			
mil	mm			1GHz	5GHz	10GHz	15GHz	1GHz	5GHz	10GHz	15GHz
10.0	0.25	1080X2	84	3.52	3.51	3.50	3.49	0.0018	0.0019	0.0020	0.0021
20.0	0.50	1080X4	84	3.52	3.51	3.50	3.49	0.0018	0.0019	0.0020	0.0021
30.0	0.76	1080X6	84	3.52	3.51	3.50	3.49	0.0018	0.0019	0.0020	0.0021
60.0	1.52	1080X12	84	3.52	3.51	3.50	3.49	0.0018	0.0019	0.0020	0.0021

Copper foil	Pnl size	
thickness	Warp	Fill
1/2oz	48"	54"
1oz	36"	48"
2oz	18"	24"
3oz		

Remark: 1. The above data is for your reference only.

2. Please contact WAZAM sale and TS team if need more Laminates type.